

Date:

13/1/31

Batch No:

M 6 6 5 0 0

Supplier:

UB Rich

Dart P/O:

20 716

Packing Slip:

Yes ☒No ☐

Invoice:

Yes ☐No ☒

Receipt:

Cash ☐Cr ☐

Release Note Attached:

Yes ☒No ☐N/A ☐

Waybill Attached:

Yes ☒No ☐

Shipment Complete:

Yes ☒No ☐N/A ☐QC6 Inspection ☒N/A ☐Work Order ☐N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12

Production/Admin:

Date

Received/Costing

Initial

13/1/31
C

Location

Page 1 of 1..

All amounts are calculated in domestic currency.

All Vendors PO ID PO20716 Receipt Dates from 7/31/20

All Item ID/GL/WOs	All Rec. Employees	All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M/ Stock U/M	Required Date	Reev Date/ Reev Emp	Reev Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID \ Vendor Name VC-DIV001 Diversified Ulbrich											
PO20716	2		M304EX0.75-16F sf	sf	7/31/2013	7/31/2013	320.0000	\$4.79	0.0000	0	\$1,533.45
CAD	No		Expanded Metal Flat SS	sf	320.0000	DESJ02		\$1,533.45	0.0000	0	
			m126500								
Total Received Quantity:											320.0000
Total Qty to Inspect (PO U/M):											0.0000
Total Reject Quantity:											0.0000
Total Receipt Value:											\$1,533.44
Total Balance Due Quantity:											0.0000



Diversified Ulbrich

20 Hymus Blvd

PTE. Claire, QC H9R 1C9,

Phone: (514)694-6522 Fax : (514)694-0266

Toll Free: (800)361-5950

SHIP TO:

DART AEROSPACE LTD

1270, ABERDEEN STREET

HAWKESBURY, ON K6A 1K7

PACKING LIST

Page: 1

I057843

SOLD TO:
00022279

DART AEROSPACE LTD

1270, ABERDEEN STREET

HAWKESBURY, ON K6A 1K7

SPECIAL INSTRUCTIONS

SHIP TST GROUND COLLECT

Contact: CHANTAL LAVOIE

Ship Terms: COLLECT

MTR:Y

Currency	Sales Person	Customer Phone	Customer Fax	Customer PO
CANADIAN DOLLARS	BOB MESSETT	(613) 632-5200	(613) 632-4443	PO20716

Sales Order	Terms	Ship Via	Date Ordered	Date Required	Date Shipped
W237636	NET 30 DAYS	COMMON CARRIER	07/29/13	07/30/13	07/30/13

Ordered	Back Ordered	Unit	Description	Bundle #	Heat #	Shipped
10		PC	SSH T-304 EXP PAPER 16" x 3/4" x 48" 18 LB / 1 PC 36 LB / 2 PC 126 LB / 7 PC MTR WITH SHIPMENT ***** 1 PALETTE CERT D'ANALYSE	L031479 L025818 L034394	F1T7 A5M7 E9H4	10
Approx Weight: 180.0 LB 07/29/13 14:47:38						

Received by: _____ Date: _____ Signature:



METALLURGICAL TEST REPORT

6870 Highway 42 East
Ghent, KY 41045-9615
(502) 347-6000

Certificate: 803642 01

Mail To:

Customer: 0305 009

PROSIX METALS COMPANY
P.O. BOX 179426
TAMPA, FL 33617

Ship To:

PROSIX METALS COMPANY
4200 EAST LANE BLVD.
BIRMINGHAM, AL 35217

Date: 1/21/2013 Page: 1

Steel: 306

Finish: 2B

Our Order: 247728

NAS Order: XM 0552998 01

Corrosion: ASTM A262/262E:180Bend-OK

PRODUCT DESCRIPTION:

STAINLESS STEEL COIL, C.R. ANNEALED & PICKLED, UNS 30400
ASTM A240/11B, A480/11B, A666/10, ASME SA240/11B, SA480/11A, SA666/11A
CHEM ANALYSIS - FOLLOWING ASTM: A276/11B, A479/11, A480/11, A312/11
CHEM ONLY OR FOLLOWING ASTM: SA312/11, SA479/11
UNS 316L/11B, MIL-S-5059D AMER03 (X CRON MEAS)
NACE MR0175/ISO 15156-3:2003 A, MR0103/07:006765D-A X MAG PERM
MIN. SOLUTION ANNEAL TEMP 1900F, WATER QUENCHED

REMARKS:

Mat'1 is Free of Mercury Contamination. No weld repairs.
EN 10204:2004 3.1; Notes 1 & 2 Compliant
Material is Free of Radioactive Contamination
NAS Steel Making Process: EAF, AOD, & Cont. Casting
Product Mfg. by a Quality Mfg. Sys. in Conf. w/ISO 9001
Molten & Manufactured in the USA, Mat'1 is DPMs Compliant

Product ID #	Coil #	Thickness	Width	Weight	Length	Mark	Pieces	Commodity Code
01F1E7 A	* 01F1E7 A	.0575	48.0000	12.010	COIL	1372.4	1	1 3425

CHEMICAL ANALYSIS

CM/Country of Met) ES(Spain) US(United States) ZA(South Africa) JP(Japan)

Chemical analysis per ASTM A751/08

Element	C %	CR %	CU %	NI %	NO %	N %	NT %	P %	S %
EL177	.0547	16.3376	.5130	1.7415	.3530	.0555	8.1545	.0360	.0017

SI %
.3680

MECHANICAL PROPERTIES

Product ID #	Coil #	1 d o i UTS c i UTS	.2% YS KSI	% ELONG 2"	Hard HB	Yell Hard
01F1E7 A	01F1E7 A	F 7	95.94	48.18	48.87	85.00 85.50

AM18 F177

NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy of the test methods used, the material meets the specifications stated. These results relate only to the items tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS.

Technical
Dept. Mgr.
ERIC HEISS
1/21/2013

LISE

1202+81



6870 HIGHWAY 42 EAST

20

Your Order: P001562

STEELS STL COIL, C.R. ANNEALED & PICKLED; UNS 30400/30403
EN10028-7 & EN10088-2, 1.4301/1.4307
ASTM A240/10-A480/10, A666/10; ASME SA240/10, SA480/10, SA666/10
AMS5511H/5511N XERN; MIL-S-3059D AMD3(X CRN MPAS); MIL-S-4043B
NACE MR0175/01, MR0103/07; QCS76SD-A X NAO PERM
NIN. SOLUTION ANNEAL TEMP 1900F, WATER QUENCHED

8/3/03/08

CHEMICAL ANALYSIS

MECHANICAL PROPERTIES

Product Id#	Coil #	i d c i	UTS KSI	.2% VS KSI	1% VS KSI	ELONG 1/2"	HARD RB	Trail HARD
02A5M7 AA	02A5M7 A	F T	94.29	48.27	54.84	45.45	86.50	84.50

ERIC HESS 1/25/2012



6870 HIGHWAY 42 EAST

Certificate: 705682 - 3
Customer: 007040 001
Mail To:
ULBRICH OF CANADA
98 NORFOLK DRIVE
DORCHESTER, ON M3H1X1

METALLURGICAL TEST REPORT

NORTH AMERICAN STAINLESS
6870 HIGHWAY 42 EAST
CHENT, KY 41045

Ship To:
ULBRICH OF CANADA
98 NORFOLK DRIVE
DORCHESTER, ON M3H1X1

Date: 1/25/2012 Page: 1

Steel: 304/304L

Finish: 2B

NAS Order: NN 0028478 02

Corrosion: ASTM A276/304L/140Bend-OK

Your Order: P001562

PRODUCT DESCRIPTION

SHEETS 872 COIL, C.76, ANNEALED & PICKLED; UNS 30400/30403
304016-7 & EN10088-2, 1.4301/1.4307
ASTM A240/10, A480/10, A566/10; ASME SA240/10, SA480/10, SA566/10
ASTM A240/10, A480/10, A566/10; ASME SA240/10, SA480/10, SA566/10
NACE MR0175/01, MR0103/01, Q357650-A X MAG FROM
MIN. SOLUTION ANNEAL TEMP 1900F AFTER QUENCHED

REMARKS:

Mat'l is Free of Mercury Contamination. No weld repairs.
EN 10004:2004 3.13 Q35763F Cond A; R088 Compliant
Material is Free of Radioactive Contamination
NAS Steel Making Process: EAF, AOD, & Cont. Casting
Product Mfg. by a Quality Mfg. Sys. in Cont. w/ISO 9001
Inspected & Manufactured in the USA; Mat'l is DPAE Compliant

5/3/00/0

Product ID	Coil #	Size # Thickness	Width	Weight	Length	Mark	Pieces	Commodity Code
02ASMT AC	02ASMT A	.0475	48.0000	3.898	120.00		40	

CHEMICAL ANALYSIS CM(Country of Man) ES(Spain) US(United States) ZA(South Africa) JP(Japan)

Product ID	Coil #	Size # Thickness	Width	Weight	Length	Mark	Pieces	Commodity Code
02ASMT AC	02ASMT A	.0475	48.0000	3.898	120.00		40	
02ASMT AC	02ASMT A	.0475	48.0000	3.898	120.00		40	
02ASMT AC	02ASMT A	.0475	48.0000	3.898	120.00		40	
02ASMT AC	02ASMT A	.0475	48.0000	3.898	120.00		40	

MECHANICAL PROPERTIES

Product ID	Coil #	Size # Thickness	Width	Weight	Length	Mark	Pieces	Commodity Code
02ASMT AC	02ASMT A	.0475	48.0000	3.898	120.00		40	
02ASMT AC	02ASMT A	.0475	48.0000	3.898	120.00		40	
02ASMT AC	02ASMT A	.0475	48.0000	3.898	120.00		40	
02ASMT AC	02ASMT A	.0475	48.0000	3.898	120.00		40	

AMWASMT7.PDF

NAS hereby certifies that the analysis on this certification is correct and the material meets the specifications stated.

Technical Dept. Mgr.

1/25/2012



METALLURGICAL TEST REPORT

NORTH AMERICAN STAINLESS
6870 HIGHWAY 42 EAST
GHEAT, KY 41045

22033087

6870 HIGHWAY 42 EAST

Certificate: 798263 2

Customer: 007040 102

Mail To:
ULBRICH OF CANADA
ULBRICH - POINT CLAIRE - TOLLING
C/O NORTH AMERICAN STAINLESS CANADA, INC.
740 IMPERIAL ROAD - NORTH
GUELPH, ON N1K1Z3

Ship To:
ULBRICH OF CANADA
ULBRICH - POINT CLAIRE - TOLLING
C/O NORTH AMERICAN STAINLESS CANADA, INC.
740 IMPERIAL ROAD - NORTH
GUELPH, ON N1K1Z3

Date: 1/02/2013

Page: 1

Your Order: P202517

NAS Order: PN 0023857 03

Corrosion: ASTM A262/D2a; 180Bend-OK

PRODUCT DESCRIPTION:

STAINLESS STEEL COIL, C.R. ANNEALED & PICKLED, UNS 30400/30403
EN10028-7 & EN10088-2, 1.4301/1.4307
ASTM A240/A480/11b, A666/10, ASME SA240/11a, SA480/11a, SA666/11a
AMS5511E/5513F ZMRX; MIL-S-5059D AMS3 (X CRN MEAS); MIL-S-4043B
NACE MR0175/ISO 15156-3:2003 A, MR0103/07; Q08766D-A X MAG PERM
MIN. SOLUTION ANNEAL TEMP 1900F, WATER QUENCHED

REMARKS:

Mat'l is Free of Mercury Contamination. No weld repairs.
EN 10204:2004 3.1; RoHS Compliant
Material is Free of Radioactive Contamination
NAS Steel Making Process: EAF, AOD, & Cont. Casting
Product Mfg. by a Quality Mfg. Sys. in Conf. w/ISO 9001
*Melted & Manufactured in the USA; Mat'l is DPAHS Compliant

Product Id	Coil #	Skid #	Thickness	Width	Weight	Length	Mark	Pieces	Commodity Code
02E9H4 A	02E9H4 A		.0575	48.0000	18,550	COIL		9	1

CHEMICAL ANALYSIS

CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan)

Chemical Analysis per ASTM A751/08

HEAT	CM	C %	CR %	CU %	MN %	MO %	N %	NI %	P %	S %
B9H4	US	.0178	18.7620	.4700	1.8430	.2955	.0863	9.0820	.0335	.0010
SI %										
.4450										

MECHANICAL PROPERTIES

Product Id#	Coil #	1 d 0.1 KSI	UTS KSI	.2% YS KSI	1% YS KSI	ELONG 8-2"	Hard RB	Tail Hard
02E9H4 A	02E9H4 A	FT	96.93	50.29	56.59	48.39	86.50	87.00

ANNEAL PDF

NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy of the test methods used, the material meets the specifications stated. These results relate only to the items tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS.

Technical
Dept. Mgr.
ERIC HESS

1/04/2013



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO20716**

Purchase Order Date 7/29/2013

PO Print Date 7/29/2013

Page Number 1 of 1

Order From :

VC-DIV001

Ship To :

DART AEROSPACE LTD

DIVERSIFIED ULBRICH
20 HYMUS BLV
POINTE-CLAIRE, QC H9R 1C9
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

514 694 6522

Ship To Contact

Ship To Phone

Ship Via:

Delivered

Ship Acct:

Buyer

Brigitte Golden

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
----------	---	------------------------	--------------------------------------	----	--------------------------------	---------------	-------------------

2	M304EX0.75-16F	Expanded Metal Flat SS	7/31/2013 Yes		320.00 sf	\$5.04	\$1,612.80
	AISI 304/316 Stainless Steel Expanded metal mesh per ASTM A240 per ASTM F1267 or MIL-M-17194.		7/31/2013				

7/31/13

Line Total: \$1,612.80

PO Total: \$1,612.80

Note: Pricing listed above is as per contract agreement between Dart Aerospace and the respective manufacturer.
No substitution or deviation without consent.
Certificate of Conformity or Material Certification required - YES NO
PST# 6122-5207

Change Nbr:

2

Change Date:

7/29/2013